

Law (G.L.) (1932) Department

MS SERIES.

G.O. No. 4344

DATED 3-12-1932

[Despatch Abstract.]

Petroleum - B Form Licence - 5000 gallons - Mr. S. D'Souza,
partner of the Mangalore Petrol and Oils Distributing Company,
Mangalore - granted.

Law (General) DEPARTMENT.



Received

Registered 19

Subject.

Petroleum--Dangerous--License in Form B for storage of 5,000/- gallons--application of Mr. S.D'Souza--grante-recommended.

ENCLOSURES.

No.

Spec. copies

Ref. C.-1 No. 9622/32.

Station Mangalore, Dated the 22nd November 1932. AY

From (Name) E. M. Ganne, Esq., I.C.S.,

(Designation) District Magistrate,

South Kanara.

To The Secretary to the Government of Madras,

Law (General) Department.

Sir,

M A D R A S.

I enclose herewith the application of Mr. S.D. Souza a partner of the Mangalore Petrol and Oil Distributing Co. holding the Agency of the Western India Oil Distributing Co. of Bombay.

2. The applicant requests for the issue of a license to him for the possession and sale of 5,000 gallons of dangerous petroleum (Petrol) to be stored in a godown building in T. S. No. 10/1 (R.S.No. 1682/1) of Kasca Bazaar village, Mangalore Town.

3. The Tahsildar's reports would show that the building is covered with a roof of corrugated galvanised

15 in 12

19 1/2

1682

and is fire-proof and that it satisfies the conditions of
the license prayed for by the applicant. The fee of Rs.20/-
has been paid by the applicant under sanction No. 100/470 dated
18th November 1932 of the Imperial Bank of India, Bangalore.

I recommend the grant of a license in form B to the applicant.

Your obedient servant,




Dt. Registrar.

P-10 infra

Mangalore. *TH*
18.10.32

3



To The District Magistrate, S. Kanara,
Mangalore.

In continuation of my petition of the 6th inst. request-
ing for the grant of a licence for petroleum storage and
S.CANARA CO. selling. I have arranged for a godown which is situated
behind the Imperial Bank of India, Mangalore and which was
being occupied by the Standard Oil Co., New York for the
same purpose. I shall be glad if you will kindly grant me
licence for 5000 gallons.

191001332



I beg to remain,
Sir.

Your most obedient servant,

16784 32B



For Western India Oil Distributing Co. Bombay.

WIC - 9622/m Lf. Lorie

- forwarded to The Taluk of Mangalore
- for report whether the Godown satisfies the
conditions of the licence prayed for. What about
the character and capacity of the holder of the licence as at the
time of the application for the licence. 22. 10. 32

12

ms. no 16784-35-22

V,

Forwards to the Station Home Office.

in Bangalore Town for immediate enquiry into all
about the character, antecedents, etc of the petitioner.

maugblis
25. 10 1922

W
- 22

Faint & marks

Reimbursed

See enquiry with Rev. Fr. Greg. Lobo, Manager
Bishop's house & others. It has been learnt that
the pet. has a good character. & that he was
all along employed in Bombay, at first
he was a clerk in International Banking Corporation,
then for 4 yrs. in Prudential Ins. Co. & finally taken up
job in Western India Oil. Referring Agent. K. R. Rao
28/1/22

5

To

The District Magistrate,
South Kanara,
M a n g a l o r e.

13

Petition of S. D'Souza, Partner
of Mangalore Petrol and Oils
Distributing Co., Mangalore.

5th October, 1932.

2/31
6/10
Sir,

I beg to state that I am one of the partners
of Mangalore Petrol and Oils Distributing Company
which hold the agency of Western India Oil Distribu-
ting Company at Mangalore.

I have been authorised by the said Company
to apply for and secure Petrol Storage selling on its
behalf in Mangalore.

I, therefore, request that you will be kind
enough to issue the necessary license in the name of
the Western India Oil Distributing Company.

Copy of authorisation from the Company to
apply for the license is enclosed.

I beg to remain,

Sir,

Your most obedient servant,

For WESTERN INDIA OIL DISTRIBUTING CO.,

S.D'Souza,
Western India Oil Distributing Co.,
Francis Building,
Behind Jail,
Mangalore.

Noted - 9/169/m
Returned
Information should be furnished as to place
where the Petroleum is to be stored & what quantity
and *70/10/32* *as directed*

6 15
WESTERN INDIA OIL DISTRIBUTING CO.

Amarchand Building,
Ballard Estate,
P.O. Box. No. 975,
Bombay, 21- 9- 1932.

S i r,

We hereby authorise Messrs. Mangalore
Petrol and Oils Distributing Company our Petrol
Agent at Mangalore to apply for and secure Petrol
Storage Selling and/or Pump licenses on our behalf
and account and in our name.

Western India Oil Distributing
Co.,

(Sd).

Superintendent of Agencies.

/True Copy/-

14.

7.

- 1108

16784-32.
Resubmitted to the Dr. Mageshetti, South America
today. It satisfies

Resubmitted to the D. Magistrate, It is after
2. I inspected the garden today for
the conditions of the lease as applied for.
3. The report submitted by the S.H.O., mandal
Tum Police Station through the Circle Inspector

8


28-10-32

Regarding the chemistry, and nature
of the pollution is unclear.

Mangalore
3rd Nov. 32



17th Nov 32



Returned to the 1st Nov 32

Mangalore

2. He is reported to have been
in the vicinity of the
is situated in the
(other side of the river)

...

N. No 17472-32

9

9

Resubmitted to the District Magistrate of
South Kanara. The godown in question is situated
in T.S. No 10/1 (R.S. No 1682) of Kasba Bazaar village.
The godown is neither tiled nor thatched. The roof
of it is covered with corrugated galvanized
sheets fitted together, and is fireproof.



Kishore
11. 11. 32

Talukdar.

Cor
10. 11. 32

ORIGINAL.

No 105

Chalan for payment of money into the Imperial Bank of Madras at

Mangalore

By whom paid.

On what account.

Amount.

Reference to Revenue Register.

S. D. Souza Licence for
The Western Petrol.
India oil
Distributing
Company.
Mangalore

Rs.

A.

P.

20

XVII admin
Licence of
petroleum
for Petroleum
Licence.

18 NOV 1922 Total (in words and figures)

20

Imperial Bank of Madras

The

192

Entered—Correct.

Signature of Remitter.

RECEIVED RUPEES.


Initials of Treasury Accountant.

Initials of Cashier.

Dated

18-11-

1922



Particulars of money paid.

					Number.	Amount.
<i>Currency Notes.</i>						RS. A. P.
Rs.	1,000	..	..	..	..	
"	500	..	..	..	..	
"	100	..	..	..	..	
"	50	..	..	..	..	
"	20	..	..	..	..	
"	10	..	..	..	..	
"	5	..	..	..	..	
"	2½	..	..	..	..	
"	1	..	..	..	..	
TOTAL NOTES					..	
<i>Cash.</i>						
Sovereigns, Full		..	..	..		
Sovereigns, Half		..	..	..		
Whole Rupees		..	..	..		
Half Rupees		..	..	..		
Quarter Rupees		..	..	..		
One-eighth Rupees		..	..	..		
Eight-anna pieces, nickel		..	..	..		
Four-anna pieces, nickel		..	..	..		
Two-anna pieces, nickel		..	..	..		
One-anna pieces, nickel		..	..	..		
Double pice		..	..	..		
Single pice		..	..	..		
Pies		..	..	..		
GRAND TOTAL					..	

Law (Gen) DEPARTMENT.

When received for Fair-copying.

When copied

When examined

When signed

When despatched

Date.

Initials.

Petroleum - B. form. dicene -

5000 gallons - Mr S. D' Souza, a partner
of the Mangalore Petrol & Oils Distribution
Co. Mangalore - granted.

READ AGAIN G.O. No., dated..... 19.....

READ ALSO :—

EAD ALSO:—

C. No. 69544 From the Dist. South Kanara, No. 7622 dated 22.11.1932

19

19

ORDER.

No. 4344 dated 3 . 12 . 1932

Ms (P)

1. The ... 4301 20
4311 31

and Agent of the Western India Oil Refining
Co. of Bombay;

A licence in form B
of the Petroleum Rules will be
issued to Mr. S. D' Souza,
a partner of the Mangalore
Petrol & oils Distributing Co.,
Mangalore, for the storage of
5000/. (five thousand) gallons of
dangerous petroleum in his storage
in Kasba village,
Mangalore
town, South Kanara St.

2/1 The licence will be forwarded to the D.H. South Kanara, for delivery to the applicants.

To
The D.M. South Kanara (with licence)
The Chief Inspector of Police in India
(with copy of licence)

~~Copy to the Western Indian Oil
Distributing Co. Bombay.~~

~~(order only)~~

and then in 66rf

27/3/21

for 42 up 2/12/32

(N. E. Rule I, chap IV, Part II)

Form B.

(Rule 3 of Chapter IV of Part II.)

**License to possess dangerous petroleum,
otherwise than in bulk, in quantity exceeding
forty gallons.**

No.

Fee, Rs. 20/ (Twenty only)

Petrol & oils License is hereby granted to Mr. S. D. Souza, a partner of the Mangalore
Distributing Co., Mangalore & Agent of the W. I. O. & Co. of Bombay.
for the storage, in the storage shed described below, of 5000 (five thousand)
gallons of dangerous petroleum, subject to the rules for the
storage of petroleum published in Notification No. 441, dated
24th July 1909 and to the further conditions on the back of this
license.

For: St. George,

2/11/32
Secretary to the Government of Madras.

The

December 1932.

(Description of the storage shed above referred to.)

The storage shed is situated in T. S no 10/1
(R. S no: 1682/1) of Kasba Bazaar village,
Mangalore town, Sirte Kanara St.

Ch.
30.11.32
510
394

2/11/32

Endorsement on Form B.

CONDITIONS OF LICENSE.

1. If the licensing officer call upon the holder of a license, by notice in writing, to execute any repairs of the storage shed, which may, in the opinion of such officer, be necessary for the safety of the shed, the holder of the license shall execute the repairs within such period, not being less than one month from the date of receipt of the notice, as may be fixed by the notice.
2. The license-holder is prohibited from delivering any quantity of dangerous petroleum exceeding three gallons to any one who has not a license under section 5 or section 6 of the Act, or any less quantity of such petroleum, except in accordance with the conditions of the proviso to section 6 of the Act, as to the vessels in which the petroleum must be contained.
3. The petroleum shall be stored in gas-tight tinned or galvanized sheet iron, steel, or lead plate receptacles containing each not more than forty gallons and fitted with well-made filling holes and well-fitting screw plugs, or fitted with screw cap or other cap with metal air-tight undercap. Such receptacles shall be packed in strong wooden cases, the thickness of the wood to be not less than three-eighths of an inch; provided that wood cases shall not be necessary when the receptacles are made of tinned or galvanized sheet iron or steel, and have the following thickness of metal:

(1) When the capacity exceed four gallons (2) When the capacity exceed eight gallons (3) When the capacity exceed twenty gallons (4) When the capacity exceed thirty gallons (5) When the capacity exceed thirty gallons (6) When the capacity exceed thirty gallons	(1) When the capacity exceed two gallons (2) When the capacity exceed four gallons (3) When the capacity exceed eight gallons (4) When the capacity exceed sixteen gallons (5) When the capacity exceed thirty gallons (6) When the capacity exceed thirty gallons	Not less than 1/8" S.W.G. 1/4" S.W.G. 1/2" S.W.G. 3/4" S.W.G. 1" S.W.G. 1 1/2" S.W.G.
---	---	--
4. An air-space of at least one-tenth of its capacity shall be left in each receptacle at the time of filling.
5. The receptacle shall be so substantially constructed and secured as not to be liable except, under circumstances of grave negligence or extraordinary accident, to be broken or become defective, leaky or insecure.
6. The receptacles shall be labelled in accordance with the provisions of section 7 of the Act.
7. Any receptacle, before being repaired, shall be cleared of all dangerous petroleum and of all dangerous vapours arising from the same.
8. The storage shed shall be constructed of masonry or other unflammable material with terraced, tiled or iron roofs and with tiled or paved or earthen floors.
9. Either the doorways and other openings of the storage shed shall be built up to a height of two feet above the level of the road or street, or the floor sunk to a depth of two feet below the level of the road or street, so that the petroleum cannot flow out from the building in case of its escape from the receptacle in which it is contained, or the building itself shall be surrounded with a masonry wall or embankment or both not less than two feet high. When the quantity of petroleum stored exceeds 16,000 gallons the height or depth shall be three feet. A combination of these methods is permissible.
10. All ventilating openings in the storage shed shall be protected by strong wire gauze.
11. No light, except a light of such strength, position and character as is not liable to ignite any inflammable vapour, nor fire of any description, shall be permitted at any time within the storage shed.

12. All due precautions shall be taken for the prevention of unauthorised persons having access to any dangerous petroleum kept and to the vessels containing or having actually contained the same.

13. Every person managing or employed on or in connection with the storage shed shall abstain from any act whatever which tends to cause fire or explosion and which is not reasonably necessary, and shall prevent any other person from doing such act.

14. The drum or other receptacle containing dangerous petroleum shall only be opened on the licensed premises at or immediately adjoining the storage shed and for the time necessary for drawing off the petroleum, and during such drawing off every reasonable precaution shall be adopted for preventing the escape of dangerous petroleum or the vapour therefrom.

15. The following distances shall be kept clear from protected works round the storage shed :—

Quantity to be stored	Distances to be kept clear			
Not exceeding 500 gallons	...	...	...	20 feet.
From 500 to 1,000 "	...	...	...	25 "
" 1,000 to 5,000 "	...	...	...	30 "
" 5,000 to 15,000 "	...	...	...	40 "
" 15,000 to 25,000 "	...	...	...	50 "
" 25,000 to 35,000 "	...	...	...	60 "
" 35,000 to 50,000 "	...	...	...	70 "
" 50,000 and over "	...	...	...	100 "

Provided that these distances may be reduced by the Local Government on the recommendation of the Chief Inspector of Explosives in cases where screen walls are provided or other special precautions taken, or where there are special circumstances that in the opinion of the Chief Inspector of Explosives warrant the reduction.

16. Provided that when the quantity to be possessed does not exceed 60 gallons the provisions of conditions 8, 9 and 15 shall not apply, but the licensee shall observe the following conditions :—

- (i) The storage shed in which the dangerous petroleum is stored shall be well ventilated and constructed of unflammable material, provided however that the doors and windows may be of wood.
- (ii) Where a storage shed forms part of or is attached to another building and when the intervening floor or partition is of an unsubstantial or inflammable character or has openings therein, the whole of such building shall be deemed to be the storage shed and no portion of such storage shed shall be used as a dwelling house or as a place where persons assemble. The storage shed shall have a separate entrance from the open air distinct from any building or dwelling in which persons assemble.

17. The storage shed shall be liable to inspection by an officer not being on lower rank than a Sub-Inspector of Police authorised by the Governor in Council in this behalf.